U.S. ORIGIN HEALTH CERTIFICATE FOR EXPORTATION OF BOVINE SEMEN TO TURKEY

A.	Done	or Bull					
	Nam	ne:	Breed:				
		stration No.:					
	Date	of Birth:					
	Own	ner:	AI Center:				
B.	Cons	signor					
	Nam	ne:					
C.	Cons	signee					
	Nam	ne:					
Ъ	D						
D.		Description of Semen Covered by This Certificate Number of Units Dates of Collection Collection Code(s)					
	Nulli		Collection Code(s)				
E.		Health Tests Conducted					
	The	The donor bull was subjected to the following tests on the dates indicated with negative results:					
	1.	Tuberculosis:	Intradermal tuberculin test (within the 12 months preceding semen collection). Date:				
	2.	Trichomonas fetus:	Culture of preputial swabs/washings during the six (6) months				
			immediately preceding date of semen collection.				
		Date:					
	3.	Campylobacter fetus:	Immunofluorescent test OR cultural examination of preputial swabs/washings during the six (6) months immediately preceding date				
			of semen collection. Date:				

	4.	Leptospirosis:	Microtiter agglutination test at 1:400 for <u>L.pomona</u> , <u>L.hardjo</u> , <u>L.icterohemorrhagiae</u> , <u>L.canicola</u> , and <u>L.grippotyphos</u> a during the six (6) months		
		0=	preceding semen collection. Date:		
		OR	The donor animal was injected with a single dose of long acting oxytetracycline at 20mg/kg bodyweight within 14 days prior to the first collection of semen for export. Date:		
	5.	Brucellosis:	Complement fixation test (CF) at 1:10 dilution or standard tube test or standard plate test at 1:50 dilution during the six (6) months preceding semen collection. Date:		
	6.	Johne's Disease:	Fecal culture OR CF test at 1:8 dilution during the six (6) months preceding semen collection. Date:		
7.	Enzootic	Bovine Leukosi	s: Agar-gel immonodiffusion or ELISA test during the six (6) months preceding semen collection. Date:		
F.	Certification Statements				
	1.	The semen was collected at an insemination center which is under the control and supervision of veterinarian accredited by the U.S. Department of Agriculture.			
	 No outbreaks of vesicular stomatitis have occurred at or within 20 kilometers of the insemin center during the 12 months immediately preceding the semen collection. The donor bulls had been continuously resident at the AI center listed above, or at other sucception approved AI centers (list below) for a period of at least three months prior to the semen collection, and had not been used for natural mating during that period. 				
			nters (list below) for a period of at least three months prior to the semen had not been used for natural mating during that period.		
	4.	The donor bulls were healthy and clinically free from diseases which are transmitted via semen including listeriosis, bovine viral diahhrea (BVD)/mucosal disease, Johne's disease, infectious bovine rhinotracheitis (IBR)/infectious pustular vulvovaginitis (IPV), enzootic bovine leukosis, and pyogenic infections.			
	5.	The United State	es is free of Bovine Spongiform Encephalopathy.		
	6.	The semen is ad	equately, securely, and hygienically packed prior to export.		
Issuing	Accredit	ed Veterinarian	Endorsing Federal Veterinarian		
Name:			Name:		
Addres	ss:		Address:		

Signature:	Signature:
Date:	Date:

 $\label{eq:NOTE:model} \textbf{NOTE:} \ \text{The certification concerning semen donated by BLAD-free bulls will be provided.} \ \ \text{The details of this certification will be provided later to MINAG after consulting with the U.S. semen industry.}$